

Minutes
 City of Newhall
 City Council Electronic Meeting
 Monday, November 9, 2020 – 6:00-7:00 PM

Due to a council member testing positive for the corona virus, and being present at City Hall, this meeting was handled electronically. Council members received the items they were to approve and city of Newhall was given the opportunity to call City Hall to be heard. Phones were available between 6:00 and 7:00 pm. No phone calls were received.

Consent Agenda and Bill Consent: Approval of the minutes from October 26, 2020 and bills totaling \$24,728.56 all voted aye, motion carried.

- a) Mike Gardemann – Yes (via in writing left in night deposit box)
- b) Doug Rinderknecht – Yes (via in writing left in night deposit box)
- c) Doug Boddicker – Yes (via email)
- d) Gerald Gessner – Yes (document dropped off in night deposit box)
- e) Mart Campbell – Yes (via email)

VENDOR	DESCRIPTION	AMOUNT
Bound Tree	First Responders - Supplies	\$142.58
Cedar River Garden Center	Storm - Trees	\$13,489.60
EZ Trash	City - Garbage and Recycling	\$4,600.50
Fastenal	Shop - Batteries	\$54.89
Gazette	City - Publication	\$78.05
Gazette	City - Publication	\$111.57
Gworks	Water/Sewer - Billing Annual License	\$1,772.31
Midwest Patch	Streets - High Performance Patch	\$498.50
O's Custom Hose	Fire - Booster Hose and Couplings	\$425.16
Rabe Hardware	City - Solar Panel Monthly Lease Payment	\$2,913.36
South Slope	City - Internet, Cable and Phone	\$536.43
Staples	City Hall - Supplies	\$28.32
Staples	City Hall / Library - Supplies	\$77.29
		\$24,728.56

Council Action:

1. Approval to set Public Hearing for November 23rd for the approval of the Road Use Tax report. All voted aye, motion carried.
 - a. Mike Gardemann – Yes (via in writing left in night deposit box)
 - b. Doug Rinderknecht – Yes (via in writing left in night deposit box)
 - c. Doug Boddicker – Yes (via email)
 - d. Gerald Gessner – Yes (document dropped off in night deposit box)
 - e. Mart Campbell – Yes (via email)

Gerald Gessner – Mayor Pro Tem

Keri Touro – City Clerk